



Carole A. Kimmel, Ph.D.

National Center for Environmental Assessment
Office of Research and Development, US EPA
and the
NCS Interagency Coordinating Committee



U.S. Department of Health
and Human Services
NICHD, CDC, NIEHS

U.S. Environmental
Protection Agency





Brief History

- ***The President's Task Force on Health Risks and Safety Risks to Children (1998-present)***
- ***Children's Health Act of 2000 (PL 106-310)***
 - Authorized the Director of NICHD, together with representatives from EPA, CDC, and (later) NIEHS
 - To plan and implement a national longitudinal study of environmental influences on children's health and development
 - Environment defined broadly to include physical, chemical, biological, and psychosocial factors
 - To investigate basic mechanisms of developmental disorders and environmental factors, both risky and protective



Study Concepts

- High quality longitudinal study of children, their families and their environment -
~ 100,000 from before birth to adulthood
- National in scope
- Environment defined broadly (chemical, physical, behavioral, social, cultural)
- Study common range of “environmental” exposures and less common outcomes
- Environment & genetic expression
- State-of-the-art technology – tracking, measurement, data management
- National resource for future studies



Who It's All About!





Priority Outcomes and Exposures

- ▶▶▶▶ Priority health and disease outcomes
 - ▶▶▶▶ Pregnancy outcomes
 - ▶▶▶▶ Neurodevelopment and behavior
 - ▶▶▶▶ Childhood injury
 - ▶▶▶▶ Asthma
 - ▶▶▶▶ Obesity and physical development
- ▶▶▶▶ Priority environmental exposures and other factors
 - ▶▶▶▶ Physical environment
 - ▶▶▶▶ Chemical exposures
 - ▶▶▶▶ Biological environment
 - ▶▶▶▶ Psychosocial exposures
 - ▶▶▶▶ Genetics





The NCS and Environmental Health Risk Assessment

Will address important issues, such as -

- Ranges and types of exposures throughout development
- Role of environmental factors in children's health
- Contribution of exposure to burden of disease in children
- Long-term health effects from early exposures of children and their parents
asthma, cancer, cardiovascular disease, obesity, diabetes, neurologic conditions





The NCS and Environmental Health Risk Assessment


- »»» Factors that alter susceptibility to environmental agents, e.g.,
 - »»» Specific genetic polymorphisms and susceptibility to pesticides
 - »»» Immune deficiencies and increased risk of asthma
 - »»» Early allergen exposures and enhanced immune function (hygiene hypothesis)
- »»» Disparities in health outcomes due to . .
 - »»» race, ethnicity, poverty, housing, income, nutrition, near heavy industry or toxic waste sites, etc
- »»» Responses to environmental exposures that vary by age or life stage
- »»» Effects of aggregate exposures to a chemical or cumulative exposures to mixtures





The NCS and Environmental Health Risk Assessment

- » Are default risk assessment approaches sufficient to protect children? For example . .
 - » How much higher, or lower, are exposures in children versus adults?
 - » Do the types of effects (transient versus irreversible) vary by life stage?
 - » Is a 10-fold uncertainty factor sufficient to account for variability in response, particularly to protect children?
 - » When and how are children at greater risk of exposure than adults?





Projected Time Line

2000-2004	Pilot study/methods development work
2001-2002	Form advisory committee and working groups
<i>Periodically:</i>	Meetings, peer reviews, consultations
2003-2004	Finalize specific hypotheses, develop study design
Late 2005	Select initial centers or alternatives and pilot test core protocol
Mid 2006	Begin full study with vanguard centers
2005-2007	Enroll additional centers
2009-2010	First preliminary results available from pregnancy
2007-2030	Analyze data as collection continues, publish results throughout





Protocol Development

- »»» Who, what, when, where and . . . later, how
- »»» Sample design
 - »»» Selection of geographic locations and individual participants
- »»» Timing of recruitment
 - »»» Preconception
 - »»» Early in pregnancy (<4 weeks)
 - »»» Later in pregnancy





Recent Workshops

Assessing Incidence and Outcomes
of Mild Traumatic Brain Injury

September 11-12, 2003

Placental Measurements

November 3-4, 2003

Psychosocial Stress and Pregnancy
and the Infant

November 12-13, 2003

Physical Activity

November 17-18, 2003

Herbals and Dietary Supplements

December 16, 2003

Effects of Media

January 22–23, 2004

Impact of Rurality

March 2, 2004

Sampling Design

March 21-22, 2004



Recent/Upcoming Workshops

Day-Specific Probabilities of Pregnancy May 17-18, 2004

Possible Roles for Inclusion of the
Study of Cancer in the NCS May 20, 2004

Measurement of Maternal and Fetal
Infection and Inflammation May 20-21, 2004

Questionnaire and Diary-Based
Methods for the Early Assessment of
Asthma-Related Health Outcomes May 27, 2004

Gene-Environment Interaction and the
Regulation of Behavior June 2-3, 2004



Current Methods Development & Pilot Studies

- »»» Development of low-cost, low-burden methods and alternative exposure measurement (validation) designs
- »»» Methods for newborn assessment
- »»» Utility of frozen breast milk to assess environmental toxicants for metabolic, nutritional, and genomic endpoints
- »»» Feasibility of using 3D ultrasound for fetal assessment
- »»» Methods of eliciting community involvement, subject recruitment and retention
- »»» Lessons learned from the EPA/NIEHS children's environmental health centers



Current Methods Development & Pilot Studies

- Measures to evaluate health status, emotional and social functioning, and mental development and cognition
- Measuring housing quality and characteristics
- Assessing dietary intakes and patterns in women and young children: methodological issues
- Evaluation of disposable diapers for quantitative measurements of pesticide metabolites in urine samples
- Measurement and analysis of exposures to environmental pollutants and biological agents



Current Status of Infrastructure and Support

»»» In place

»»» Scientific support: reviews, analyses, surveys (NIH and EPA contracts)

»»» Information technology development

»»» Anticipated procurements over next year

»»» Clinical/data coordinating center

»»» Biological/environmental sample repository

»»» Initial study sites (vanguard sites)

»»» Laboratory services



Funding Status

▶▶▶ PLANNING (FY00-03)

▶▶▶ \$20.7 million (from existing HHS & EPA budgets)

▶▶▶ START-UP (FY04-05)

▶▶▶ ~\$12 million available in FY04

▶▶▶ \$26 million estimated need, \$12 million total in President's FY05 Budget

▶▶▶ IMPLEMENTATION (FY05-29)

▶▶▶ Total estimated cost: \$2.7 billion over 24 years



Approximate Annual Cost to U.S. from Disease Burden

	Estimated Annual Cost – All Ages	Estimated Number of Children Affected in US
Injury	\$224 billion	10.8 million
Diabetes	\$ 132 billion	206,000
Obesity	\$117 billion	9 million
Asthma	\$ 14 billion	9 million
Autism	\$7.6 billion	93,000
Schizophrenia	\$65.2 billion	2.2 million (adult onset)




Contact Information

- » Check the Web site:
<http://NationalChildrensStudy.gov>
- » Join the listserv for news and communication
- » Contact us at ncs@mail.nih.gov





Contacts



»»» EPA members of the Interagency Coordinating Committee

- »»» Carole Kimmel, NCEA
- »»» Pauline Mendola, NHEERL
- »»» Jim Quackenboss, NERL
- »»» Sherry Selevan, NCEA

»»» NCS Program Office, NICHD/NIH

- »»» Peter Scheidt, Director

